FES more than 350 FES sailplanes flying worldwide

FES (Front Electric Sustainer / Selflaunch) is smart and reliable propulsion system developed for high performance sailplanes



EXPAND YOUR HORIZONS



... and give yourself the ultimate freedom of soaring, by going places you would never have dared before! The future is in maximizing flying fun, without all the fuss and risks related to landing out. FES is the solution for all those pilots who wish to soar into a safer and more independent future.

Front Electric Sustainer or even Selflaunch

We have revolutionised the future of gliding with the development of a highly innovative and extremely effective propulsion system with a light but powerful brushless electrical motor and small and folding propeller in the nose of the sailplane.

We named it Front Electric Self-launch / Self-sustainer – FES.



Why Front?

Why Electric?



When and why to use FES?

With a front engine, there is no additional drag of extended propeller arm, meaning less power is needed for equal performance. Less power means fewer expensive batteries and a smaller engine, resulting in less additional weight and costs. Motor starts and stops instantly without any altitude loss. In this manner, we get the best sustainer system available for sailplanes.

The powerful electric motor is much smaller and lighter than a comparable combustion engine. It is easy to operate. No warm up is needed, just power switch ON and rotate throttle knob. It immediately gives full torque from zero to max RPM. Electric propulsion produces minimal noise, is clean, odourless and vibration free. The system is simple, reliable and with only a few rotating parts, virtually maintenance-free. Last but not least, the electric propulsion is environment friendly and leaves a significantly lower carbon footprint - especially with solar panel charging.

An electric motor with a folding propeller can be safely started at low altitude, which is very important feature on days with low cloud base and weak thermals.

At maximum power setting, you have a good climb rate available, to reach a safe altitude, then power can be reduced for horizontal flight to the nearest thermal or to your home airfield. For level flight only 4-5kW* of power is required which means about one hour of endurance, allowing you to cruise a distance of aproximatey 100 km.

In case of system failure you can still land safely, as pure sailplane, without the additional drag of an extended propeller and motor.

During aerotow you can always release low in the first thermal and cut down expensive towing bills! When using winch or auto tow, FES could greatly expand your horizons.

*valid for single seaters, for double seaters 7-8kW







TECHNICAL DATA

FES is available in two configurations

- as self-sustainer system for heavier sailplanes
- as self-launch system for lighter sailplanes

Motor

- Specially designed for FES
- Outrunner BLDC brushless synchronous with permanent magnets, electronically controlled commutation system 3 phase
- 22-30kW of max power*
- Length: 100mm,120mm or 130mm*
- Diameter of rotor/ventilator: 177/198mm, 180/198mm, 190/198mm*
- Weight: of motor only 7.3kg, 8kg or 11kg*

FCU – FES Control Unit instrument

- Standard 57mm size
- Sunlight readable high resolution colour display
- Indicates important parameters: Temperatures, RPM, Power, Voltage, Current, Battery capacity, Remaining Time, cell voltage differences etc...
- Warning messages together with alerting sound
- Logging of all FES parameters to SD card every second

Propeller

- Carbon fibre foldable propeller
- Blades bended according fuselage contour
- Diameter: 1.0m, 1.02m or 1.20m
- Automatically opens when motor starts
- Folded blades are rotated closer to the fuselage

- Automatic positioning after stop FES GEN4 Battery packs (4 different versions: S, M, L, XL)

- High temperature resistant glass-fibre prepreg housing
- Integrated BMS (Battery Management System)
- Connectors for high power cables hidden inside of pack
- 2 battery packs needed, each weighting only 16.7 kg, 19kg, 25kg or 28.6kg **
- 280, 320, 420 or 480 Li-ion 18650 type cells, each pack**
- Capacity of single cell block: 56Ah or 84Ah**
- Total energy storage capacity: 5.6kWh, 6.4kWh, 8.4kWh or 9.6kWh**
- Easy to take out of the fuselage to charge at home or in the club
- Stainless steel transport/storage boxes as standard equipment
- FES Discharger 2 as standard equipment

Charging

- Two 600W chargers provided with the system as standard
- Charging time: about 6 hours with two 600W chargers**
- 350W, 1200W and 2000W chargers optionally available
- Charging time: about 3 hours with two 1200W chargers**
- * depends on motor version, ** depends on battery pack version

FES as **sustainer** system is available for new sailplanes:

15m single seater: Diana 2 FES

18m single seater: Ventus 3 FES, LAK17B FES, HPH 304ES

20m double seater: DG 1001 e neo, Duo Discus FES

FES as **selflaunching** system is available for new sailplanes:

13,5m single seater: MiniLAK FES

15m single seater: Diana 2 FES

18m single seater: LAK17C FES

FES **retrofit** to used sailplane types as sustainer is possible (please ask for other types): 18m single seater: Discus 2c, Ventus 2c, Duo Discus XL, LS-8b, LS-10, LAK17A...

HIGHLIGHTS

- High power electric motor, for a good climb rate
- Low noise level
- Folding propeller, with instant start and stop with automatic positioning
- Low additional weight of the complete system (approximately 45kg-60kg, depends on configuration)
- The aerodynamics of the sailplane are not changed during motor operation
- Low aerodynamic drag, so only 4-5kW power is needed for level flight with single-seaters and 7-8kW with double-seaters
- No shift in the centre of gravity due to motor operation
- 12V power for instruments is generated with DC/DC converter
- Reduced operating and towing costs
- Easy removal of Battery packs for safe charging out of sailplane
- Green solution



FES system development and production by:



AVIATION PRODUCTS



LZ design d.o.o. Brod 3D SI - 1370 Logatec Slovenia

info@lzdesign.si

https://front-electric-sustainer.com

IMPRESSIONS

It is not a matter of liking the FES system or not, it should simply be installed in all newly manufactured gliders. This include gliders for competition pilots. SURVIVING A CRASH, Sailplane & Gliding (April/May18)

If you are a glider pilot and you haven't heard of FES, give yourself a slap! The Front Electric Sustainer (or Self-Launcher for Annex I gliders) is quite likely the most useful soaring invention since the variometer! FLYING THE FES, Sailplane & Gliding

For me, it makes an enormous difference in the way I can now envision Soaring, and I believe it has the potential to revolutionize the way we practice soaring in the future.

Flying the FES-equipped Silent 2 Electro, Francois Pin, Soaring Cafe

»The combination of an electric motor, which always starts reliably, and an engine position with unproblematic execution of all operations, making mistakes virtually nonexistent, is an absolute plus in aviation safety.« Ludwig Haslbeck, Segelfliegen Magazin

»The FES system took me from practically no XC experience, to 750km flight in less than 400 hours. I always felt safe using the system and the ease of use massively helped advance my gliding. «

FES impressions by Andrew Neofytou, Facebook

